



שלום רב,

חברת טסגר בע"מ מתכבדת להציג בפניך קו מוצרים ומתקנים מפלדת אל-חלד המיועדים לתעשיית המזון בפרט ולתעשייה הכימית בכלל.

מגוון המוצרים המיובאים על ידינו כולל מיכלים ניידים ונייחים, עגלות, משטחי עבודה ואביזרים שונים, כולם מיוצרים תחת תקן DIN9797 הקובע את הסטנדרט האירופאי למכונות תעשיית המזון וציוד שינוע מזון.

המוצרים מתאימים למפעלי התעשייה השונים כדוגמת: תעשיית הבשר, המזון, המשקאות, והכימיה ומוצריה.

המוצרים הינם באיכות מעולה ומיוצרים במזרח אירופה, במפעלים המתמחים בייצור מוצרי פלדת אל-חלד ומייצאים למדינות רבות ברחבי העולם.

כל אלו במחירים מפתיעים.

לקבלת הצעת מחיר ניתן לפנות אלינו:

טסגר בע"מ

e-mail: mail@tasgar.com

משרד: 08-9405298

נייד (חנור): 0544-337663



טסגר בע"מ, www.tasgar.com, mail@tasgar.com

משרד : 08-9405298 נייד: 0544-337663 פקס: 08-9396449, מושב בית-עובד, המייסדים 11, 76800.



Euro tub 120L

According to DIN 9797, walls made of 2mm thick steel. Bottom with 3mm reinforcement plate. Edge with lade in bar, continuously welded and beaded.

- A without outlet drain
- B with outlet drain

Weight: 30 kg \pm 0,2
WxDxH: 580x580x595mm



Euro tub 200L

According to DIN 9797, walls made of 2mm thick steel. Bottom with 3mm reinforcement plate. Edge with lade in bar, continuously welded and beaded.

- A without outlet drain
- B with outlet drain

Weight: 40 kg \pm 0,2
WxDxH: 690x680x700mm



Euro tub 300L

According to DIN 9797, walls made of 2mm thick steel. Bottom with 3mm reinforcement plate. Edge with lade in bar, continuously welded and beaded.

- A without outlet drain
- B with outlet drain

Weight: 50 kg \pm 0,2
WxDxH: 690x680x950mm



Perforated Euro tubs

It is possible to order all of our tubs with four perforated Walls and bottom. Drilling with $\varnothing 10\text{mm}$ diameter and distance between center of the holes 20mm.

- A 120L tub
- B 200L tub
- C 300L tub

	W x D x H (mm)	WEIGHT
A	580x580x595	~25Kg
B	690x680x700	~34Kg
C	690x680x950	~43Kg




Euro tub grid

Drip grid with 2 handles with fixing device. Perforated stainless steel plate. Perforation:

- 3,0mm distance 7,5mm
- 5,0mm distance 20mm

Diff erent dimensions upon request

Type	\varnothing of the grid
120 L	3.0 mm
200/300 L	3.0 mm
120 L	5.0 mm
200/300 L	5.0 mm



Simple outlet with cap

For tubs, trough vehicles, container boxes. Made of stainless steel according DN40.



Euro tub, Perforated special
On your request we can deliver high version of standard perforated euro tub.



Euro tub, 200, Increased front side
Made of electrolytically polished stainless steel. Walls 2mm thick. Bottom with additional 3mm reinforcement plate. Edge fully welded and beaded with lade in solid bar. Polyamide wheels, diameter 150mm with tilting moment
Weight: ~42.3 kg
W X D X H: 900 x 790 x 680 mm



200 tub with dripping lip
We offer all of our tubs with dripping lip.
Dimensions: 30x680mm.

- A 120L tub
- B 200L tub
- C 300L tub

	W x D x H (mm)	WEIGHT
A	580x580x595	~31Kg
B	690x680x700	~41Kg
C	730x680x950	~51Kg



Lift trolley with separate wheel frame
 Made of electrolytically polished stainless steel 1.4301. Walls 2mm thick. Bottom with additional 3mm reinforcement plate.
 Polyamide wheels, diameter 150mm with tilting moment.
 Dimensions: 650x650xH240mm



Confiscatory trolley
 Made according to sanitary standards. Lid with hook lock and specially built inlet.
 Big rubber wheels diameter 400mm.
 Electrolytically polished
 Weight: ~60 kg
 W X D X H: 1150 x 1200 x 950 mm



Confiscator – basic
 Simple version of regular confiscator with wheels made of polyamid with diameter 150mm
 W X D X H: 700 x 690 x 890 mm



Lid for Euro tubs

Made of 2mm thick stainless steel. Electrolytically polished, rounded corners. Equipped with convenient handle. Easy to transport or store on platform lid-truck.

Manufactured in two types :

01 - for 200 and 300 liters tubs

02 - for 120 liters tubs

	W x D x H (mm)	WEIGHT
01	700x690x20	~8.2Kg
02	590x590x20	~6.4Kg



Trough vehicle 150L

Very useful, easy to operate thanks to handle. 2 steering and 2 block rollers. Walls made of 2mm thick steel. Bottom with 3mm reinforcement plate. Edge with lade in bar, continuously welded and beaded. Electrolytically polished.

- A without outlet drain
- C with outlet and drip grid
- B with outlet drain
- D four steering rollers

	W x D x H (mm)	WEIGHT
A	1030x670x840	~56Kg
B	1030x670x840	~57Kg
C	1030x670x840	~63Kg
D	1030x670x840	~57Kg



Divided lid

Fits for 200 and 300 liters. Handle on one of the wings of the lid helps in easy opening and closing. Electrolytically polished stainless steel.

Standard stop hinge.

Weight: ~8.4 kg

W X D X H: 700 x 690 x 20 mm



Stacking lid

Useful for storage Euro tubs. Made of 3mm thick stainless steel.

- A 120L tub
- B 200L tub, 300L tub



Trough vehicle 450L

Made of 1.4301 stainless steel. Plate 2mm thick. Edge with lade in bar, continuously welded and beaded. Electrolytically polished. Four block rollers \varnothing 150mm with tilting moment or two steering and two block rollers.

- A without outlet drain
- B with outlet drain
- C two steering rollers

	W x D x H (mm)	WEIGHT
A	1200x730x840	~68Kg
B	1200x730x840	~69Kg
C	1200x730x840	~69Kg



Lid for through vehicle

Made of 2mm thick stainless steel.
Electrolytically polished, rounded corners.
Equipped with two convenient handles. Easy to transport or store on platform lid-truck.
Manufactured in two types :


- A for 150L
- B for 450L

	W x D x H (mm)	WEIGHT
A	1040x680x20	~6.4Kg
B	1210x740x20	~8.2Kg



Paper holder frame

Made of stainless steel,
continuously welded. For all tubs,
trough vehicles and container
boxes.



Container box 450L & 820L

Made of 2mm stainless steel 1.4301. Equipped with outlet drain and screw cap. Stackable. Bottom with or without 3mm reinforcement plate.

Container box is equipped with special formed legs, which enables to stack them one on each other.

- A 450L container without reinforcement plate
- B 450L container with reinforcement plate
- C 820L container without reinforcement plate
- B with reinforcement plate

	W x D x H (mm)	WEIGHT
A	1160x760x800	~60Kg
B	1160x760x800	~74Kg
C	1260x1030x880	~80Kg
D	1260x1030x880	~92Kg




Container box 600L

Solid stainless steel construction. Specially formed corners help in easy storage one on each other.

Outlet drain \varnothing 40mm

W X D X H: 800 x 1200 x 800 mm






Trolley

Made of stainless steel 2mm thick. 6 block rollers $\varnothing 125\text{mm}$ with tilting moment. Stackable for Euro boxes transport.

- A with polyamid wheels
- B with solid rubber wheels

	W x D x H (mm)	WEIGHT
A	640x420x180	~8.6Kg
B	640x420x180	~11.1Kg



Double trolley

Wheel casing made of 2mm thick steel, 6 block rollers $\varnothing 125\text{mm}$ with tilting moment. With polyamid or solid rubber wheels

	W x D x H (mm)	WEIGHT
A	820x610x180	~12.4Kg
B	820x610x180	~14.9Kg



Handle for trolley

For all our trollies we can supply a handle.

Only with new orders

It is possible to order trolley in special sizes.

Weight: 1.7 / 2.4 Kg



Trolley with basket for autoclave

Basket: All stainless steel 1.4301, made of flat steel and rounds. Electrolytically polished. One side is open able. Handle for easy load and unload basket for trolley. Included movable bottom.
Dimension: 960x940xH920mm.

Trolley: Made of flat steel and rounds galvanized. 2 revolving wheels, 2 steady Ø200mm – made of polyamide. Moving rollers – made of plastic or steel



Open-work platform truck

Made of stainless profile 40x40mm. Electrolytically polished. On two block and two steering rollers with stopper Ø125mm. Comfortably push bar 850mm high. Loading – 350kg
Weight: 25 kg
W X D X H: 1000 x 7000 x 200 mm



Warehouse pallet

Made of high quality stainless steel. With two kind of steel profiles – 1,5 or 2mm. Electrolytically polished.

	W x D x H (mm)	WEIGHT
A	1200x800x140	33 Kg
B	1200x800x140	41 Kg
C	1200x1000x140	36 Kg
D	1200x1000x140	46 Kg



Stage table

On 6 legs with plastic height adjusters. Cutting plate made of polyethylene is exchangeable. PE plate 30mm thick. Bottom shelf as a grid (A) or as a plate 2mm thick (B).

	W x D x H (mm)
01	1500x900x850
02	2000x900x850
03	2500x900x850



Double stage table

On 6 legs with plastic height adjusters. Two cutting plates made of polyethylene are exchangeable. PE plate 30mm thick. In the middle one plate made of stainless steel.

- A bottom shelf as a grid
- B bottom shelf as a plate

	W x D x H (mm)
01	2000x1200x850
02	2500x1200x850
03	2800x1200x850



Working table

All stainless steel 1.4301, top made of 2mm thick plate. Bottom:

- A with open work
- B with plate shelf

	W x D x H (mm)
01	1200x700x850
02	1700x700x850
03	2400x700x850



Smoking cart Z type

Solid stainless steel construction. Frame made of 2mm thick rectangular tube. For smoking sticks and smoking grids. Easy loading and unloading. Polyamide wheels with tilting moment Ø150mm. Depending on version we can supply carts with 4 to 11 levels

	W x D x H (mm)	WEIGHT
6 levels	1000x1020x1950	51 Kg
8 levels	1000x1020x1950	56 Kg
11 levels	1000x1020x1950	63 Kg



Smoking sticks caddy

All made of stainless steel for approx 250 – 300 sticks. Bottom of caddy perforated. Two handles, two polyamide wheels.

Made without:

- A or with
- B dividing plate

	W x D x H (mm)	WEIGHT
A	800x470x1060	11 Kg
B	800x470x1060	12 Kg



Hooks caddy

Stainless steel, carry up to 300-400 empty hooks. Six block rollers, diameter 200mm, with tilting moment



Transport trolley for meat

All stainless steel, 66 numbered hooks on three levels. Drip pan made of 1,5mm thick plate. Block rollers, diameter 150mm.

W X D X H: 1200 x 750 x 1250 mm



Ham trolley

Made of 1.4301 stainless steel, electrolytically polished. Frame made of square tube 40x40mm, thickness 2mm. 150 hooks on three levels. Each level with 4 liftable shelves and one solid shelf with two rows of hooks. 6 polyamide wheels, diameter 150mm.

Other dimension upon request
W X D X H: 1500 x 780 x 2000 mm



Chopping block

Stable table with removable PE top. Four legs with adjustable height



Skinning table

Working surface made of 2mm thick stainless steel 1.4301. Equipped with outlet drain. Dimensions: 3000x1500x850mm



Weight table

We manufacture tables stools in other dimensions on special request.



Shelf

All stainless steel, shelves made of 2mm thick plate. As an option shelves as a grid made of round tube.

- A plate shelf
- B grid shelf

	W x D x H (mm)
01	800x600x2000
02	1000x600x2000
03	1200x600x2000



Standing writing desk

Made of stainless steel. Four legs with adjustable height. Shelf with cover. Lockable lid as an option.

- A standard
- B shelf divided for three compartments
- C with binding for padlock

W x D x H (mm)	WEIGHT
600x400x1240	35 Kg
600x400x1240	37 Kg
600x400x1240	36 Kg



Gastronomic table

High-grade work of an example table for trays. Reliability of other kinds of tables and lockers. Stainless steel made, electrolytically polished



Boot storage

Designed for wall mounting. Easy way of extending whole system. Possibility of connection air hose. Dimensions depend on needs



Smoking cart H type


Frame made of 2mm thick rectangular tube. Solid stainless steel construction. Easy loading and unloading. Polyamide wheels with tilting moment $\varnothing 150\text{mm}$. Depending on version we can supply carts with 4 to 11 levels

	W x D x H (mm)	WEIGHT
6 levels	1000x1020x1950	51 Kg
8 levels	1000x1020x1950	56 Kg
11 levels	1000x1020x1950	63 Kg



Multipurpose smoking shelf

Depending on requirements we offer smoking wagons in individual technical specifications. There is a possibility to order smoking wagons with different kind of shelves and with different spacing



Smoking stick

Made of 1.4301 stainless steel 1,5mm thick. Profiled shape. Two basic types:

A: 980mm

B: 1000mm

Other lengths upon request.

•A star profile •B bend profile

Aluminium smoking stick


Star profile





Smoking screen

Curing grid, grid made from rod \varnothing 3mm or 2mm, with mesh holes 30x30mm, strengthened with rod \varnothing 12mm. Frame angle 30x30x3mm profile. Exist possibility of change rod thickness as well as size of mesh holes



Hook – standard (DIN 5047)

Skid made of flat steel (35x12) hot galvanized. Meat hook, diameter 16mm, made of stainless steel.
Weight – 1.35kg.
Capacity – 250kg.



Sliding hook

Skid 35x12 made of flat steel, hot galvanized. Ring made of stainless steel.
Weight – 1.85kg.
Capacity – 250kg.



Meat hanger

Central bar 25x2mm, hooks on five levels, four hooks on each. Hooks of $\varnothing 8$ mm round bar. Sliding shackle made of steel 35x12 hot galvanized. For heavy meat elements we recommend 10mm round bar for hooks



Fork

Made of stainless steel. Solid construction

Shovel

Shovel 250x290mm, total height – 1190mm. All made of stainless steel